



STANDARD PROFILES (Z)

								gr/m
	B1		H		B2		S	
Z-39	15	X	6.0	X	15	X	1.5	134
Z-20	15	X	15.0	X	15	X	2.0	221
Z-1	15	X	40.0	X	15	X	2.0	356
Z-12	18	X	43.0	X	18	X	3.0	591
-41	20		18.0		21		3.0	429
Z-6	20	X	20.0	X	20	X	2.0	302
Z-5	22	X	32.0	X	22	X	2.5	479
Z-11	24	X	60.0	X	24	X	2.0	562
Z-7	25	X	25.0	X	25	X	2.0	383
Z-25	25	X	30.0	X	25	X	3.0	599
Z-2	25	X	25.0	X	25	X	3.0	559
Z-15	25	X	50.0	X	25	X	2.0	518
Z-29	30	X	30.0	X	30	X	3.0	680
Z-26	30	X	50.0	X	30	X	3.0	842
Z-22	30	X	40.0	X	30	X	3.0	761
Z-3	30	X	60.0	X	30	X	2.0	626
Z-13	35	X	50.0	X	35	X	3.0	923
Z-9	35	X	50.0	X	35	X	2.0	626
Z-38	40	X	30.0	X	40	X	2.0	572
Z-32	40	X	40.0	X	40	X	4.0	1210
Z-8	40	X	40.0	X	40	X	3.0	923
Z-24	40	X	40.0	X	40	X	2.5	776
Z-23	40	X	60.0	X	40	X	3.0	1085
Z-4	40	X	70.0	X	40	X	3.0	1166
Z-14	40	X	86.0	X	40	X	3.0	1296
Z-10	40	X	110.0	X	40	X	3.0	1490
Z-40	40	X	150.0	X	40	X	2.5	1519
Z-37	45	X	30.0	X	30	X	2.0	545
Z-31	50	X	50.0	X	50	X	4.0	1534
Z-18	51	X	57.0	X	50	X	3.0	1231
Z-19	54	X	60.0	X	50	X	3.0	1280
Z-21	70	X	100.0	X	70	X	6.0	3694
Z-30	71	X	39.0	X	55	X	3.0	1288
Z-17	80	X	57.0	X	51	X	3.0	1474
Z-16	80	X	60.0	X	60	X	3.0	1571



STANDARD PROFILES (2000)

						gr/m
	H	X	B	X	S	
2002	15	X	15	X	1.5	115
2022	15	X	15	X	2.0	151
2003	20	X	20	X	1.5	156
2006	20	X	20	X	2.0	205
2030	20	X	40	X	2.0	313
2054	20	X	40	X	4.0	605
2004	25	X	25	X	1.5	196
2007	25	X	25	X	2.0	259
2041	25	X	25	X	3.0	381
2046	30	X	20	X	2.0	259
2015	30	X	25	X	2.0	286
2005	30	X	30	X	1.5	237
2008	30	X	30	X	2.0	313
2014	30	X	30	X	3.0	462
2028	30	X	60	X	4.0	929
2064	30	X	90	X	2.0	637
2027	30	X	100	X	4.0	1361
2012	35	X	15	X	3.0	381
2033	35	X	35	X	3.0	543
2050	35	X	90	X	5.0	1620
2011	40	X	20	X	2.0	313
2038	40	X	40	X	2.0	421
2016	40	X	40	X	3.0	624
2009	40	X	40	X	4.0	821
2065	40		40		5.0	1013
2037	45	X	80	X	2.0	664
2026	45	X	100	X	2.0	772
2036	45	X	110	X	2.0	826
2017	50	X	35	X	4.0	875
2063	50	X	50	X	2.0	529
2020	50	X	50	X	3.0	786
2013	50	X	50	X	4.0	1037
2010	50	X	50	X	5.0	1283
2059	50		60		2.0	583
2052	50		70		2.0	637
2048	50	X	70	X	5.0	1553
2040	50	X	80	X	5.0	1688
2039	50	X	80	X	6.0	2009
2061	50		100		2.0	799
2021	50	X	100	X	5.0	1958
2051	50	X	110	X	2.0	853
2031	50	X	120	X	2.0	907
2058	50	X	140	X	2.0	1015
2056	50	X	160	X	3.0	1677
2044	52		24		4.0	778
2032	55	X	80	X	2.0	718




	H	X	B	X	S	
2035	60	X	30	X	4.0	929
2018	60	X	60	X	4.0	1253
2023	60	X	60	X	6.0	1847
2024	60	X	100	X	5.0	2093
2067	60	X	120	X	2.0	961
2049	70	X	50	X	5.0	1553
2062	80	X	80	X	4.0	1685
2034	80	X	80	X	6.0	2495
2045	80	X	80	X	7.0	2892
2042	80	x	80	x	8.0	3283
2043	100	X	45	X	4.0	1523
2019	100	X	50	X	3.0	1191
2029	100	X	60	X	5.0	2093
2047	100	X	100	X	3.5	1857
2060	100	X	100	X	4.0	2117
2025	100	X	100	X	10.0	5130

L D L

STANDARD PROFILES (4000)

						gr/m
	H		B		S	
4023	15.0	X	15.0	X	1.20	179
4002	15.0	X	15.0	X	1.50	219
4079	15.0	X	15.0	X	2.00	281
4380	15.8	X	15.8	X	0.90	144
4324	18.0		15.0		2.00	313
4409	18.0	X	18.0	X	1.00	184
4001	20.0	X	10.0	X	1.50	219
4176	20.0	X	10.0	X	2.00	281
4163	20.0	X	12.0	X	1.30	206
4003	20.0	X	15.0	X	1.50	259
4177	20.0	X	15.0	X	2.00	335
4418	20.0	X	20.0	X	1.10	225
4007	20.0	X	20.0	X	1.50	300
4093	20.0	X	20.0	X	2.00	389
4405	20.0	X	20.0	X	2.50	473
4259	20.0	X	20.0	X	3.00	551
4336	24.0		24.0		2.00	475
4268	25.0	X	10.0	X	1.20	211
4223	25.0	X	10.0	X	2.00	335
4376	25.0		12.5		1.20	227
4004	25.0	X	15.0	X	1.50	300
4091	25.0	X	15.0	X	2.00	389
4054	25.0	X	20.0	X	2.00	443
4094	25.0	X	25.0	X	1.50	381
4008	25.0	X	25.0	X	2.00	497
4098	25.0	X	25.0	X	3.00	713
4083	25.0	X	25.0	X	4.00	907
4197	30.0	X	10.0	X	1.50	300
4392	30.0	X	10.0	X	2.00	389
4377	30.0	X	14.0	X	2.00	432
4005	30.0	X	15.0	X	1.50	340
4077	30.0	X	15.0	X	2.00	443
4408	30.0	X	15.0	X	3.00	632
4116A	30.0	X	20.0	X	1.40	357
4116	30.0	X	20.0	X	1.50	381
4051	30.0	X	20.0	X	2.00	497
4286	30.0	X	20.0	X	3.00	713
4202	30.0	X	25.0	X	2.00	551
4157	30.0	X	25.0	X	2.50	675
4030	30.0	X	30.0	X	1.50	462
4414	30.0	X	30.0	X	1.65	505
4284	30.0	X	30.0	X	1.80	548
4009	30.0	X	30.0	X	2.00	605
4306	30.0	X	30.0	X	2.50	743
4055	30.0	X	30.0	X	3.00	875
4266	34.0	X	20.0	X	2.00	540
4056	34.0	X	20.0	X	3.00	778
4282	34.0	X	34.0	X	2.00	691



STANDARD PROFILES (4000)

						gr/m
	H		B		S	
4119	34.0	X	34.0	X	3.00	1004
4341	35.0	X	15.0	X	2.00	497
4296	35.0	X	20.0	X	1.40	395
4021	35.0	X	20.0	X	2.00	551
4097	35.0	X	20.0	X	3.00	794
4040	35.0	X	25.0	X	1.50	462
4200	35.0	X	25.0	X	1.80	548
4039	35.0	X	25.0	X	2.00	605
4170	35.0	X	35.0	X	1.20	438
4010	35.0	X	35.0	X	1.50	543
4100	35.0	X	35.0	X	2.00	713
4327	35.0		35.0		2.50	878
4302	38.0	X	38.0	X	2.00	778
4308	38.0	X	38.0	X	4.00	1469
4175	40.0	X	10.0	X	2.00	497
4291	40.0	X	15.0	X	2.00	551
4369	40.0	X	20.0	X	1.00	313
4298	40.0	X	20.0	X	1.20	373
4043	40.0	X	20.0	X	1.50	462
4006	40.0	X	20.0	X	2.00	605
4057	40.0	X	20.0	X	2.50	743
4096	40.0	X	20.0	X	3.00	875
4207	40.0	X	20.0	X	4.00	1123
4225	40.0	X	25.0	X	1.50	502
4248	40.0	X	25.0	X	2.00	659
4206	40.0	X	25.0	X	2.50	810
4198	40.0	X	30.0	X	1.50	543
4137	40.0	X	30.0	X	2.00	713
4044	40.0	X	30.0	X	2.50	878
4088	40.0	X	30.0	X	3.00	1037
4304	40.0	X	35.0	X	2.50	945
4366	40.0	X	40.0	X	1.20	503
4029	40.0	X	40.0	X	1.50	624
4012	40.0	X	40.0	X	2.00	821
4141	40.0	X	40.0	X	2.50	1013
4084	40.0	X	40.0	X	3.00	1199
4085	40.0	X	40.0	X	4.00	1555
4314	40.0	X	40.0	X	5.00	1890
4243	44.5	X	44.5	X	1.90	874
4281	45.0	X	20.0	X	2.00	659
4410	45.0	X	25.0	X	2.00	713
4117	45.0	X	25.0	X	3.00	1037
4415	45.0	X	34.0	X	3.00	1183
4158	45.0	X	45.0	X	2.00	929
4293	45.0	X	45.0	X	3.00	1361
4422	48.0	X	38.0	X	2.00	886
4311	50.0	X	10.0	X	2.00	605
4139	50.0	X	15.0	X	2.00	659

STANDARD PROFILES (4000)

						gr/m
	H		B		S	
4332	50.0	X	20.0	X	1.50	543
4036	50.0	X	20.0	X	2.00	713
4278	50.0	X	20.0	X	3.00	1037
4234	50.0	X	20.0	X	4.00	1339
4325	50.0	X	25.0	X	1.50	583
4058	50.0	X	25.0	X	2.00	767
4208	50.0	X	25.0	X	2.50	945
4045	50.0	X	25.0	X	3.00	1118
20299	50.0	X	30.0	X	1.40	584
4250	50.0	X	30.0	X	1.80	743
4014	50.0	X	30.0	X	2.00	821
4237	50.0	X	30.0	X	2.50	1013
4078	50.0	X	30.0	X	3.00	1199
4185	50.0	X	34.0	X	3.00	1264
4292	50.0	X	40.0	X	1.50	705
4013	50.0	X	40.0	X	2.00	929
4118	50.0	X	40.0	X	2.50	1148
4059	50.0	X	40.0	X	3.00	1361
4133	50.0	X	40.0	X	4.00	1771
4159	50.0	X	45.0	X	2.00	983
4180	50.0	X	45.0	X	2.50	1215
4028	50.0	X	50.0	X	1.50	786
4024	50.0	X	50.0	X	2.00	1037
4171	50.0	X	50.0	X	2.50	1283
4125	50.0	X	50.0	X	3.00	1523
4156	50.0	X	50.0	X	3.50	1758
4086	50.0	X	50.0	X	4.00	1987
4322	50.0	X	50.0	X	5.00	2430
4419	55.0		25.0		2.00	821
4240	55.0	X	55.0	X	2.00	1145
4113	55.0	X	50.0	X	3.00	1604
4264A	56.0	X	31.0	X	2.50	1107
4360	60.0	X	10.0	X	1.50	543
4319	60.0	X	10.0	X	2.00	713
4106	60.0	X	20.0	X	1.50	624
4022	60.0	X	20.0	X	2.00	821
4398	60.0	X	20.0	X	3.00	1199
4300	60.0	X	20.0	X	4.00	1555
4015	60.0	X	25.0	X	2.00	875
4082	60.0	X	25.0	X	3.00	1280
4147	60.0	X	30.0	X	1.20	568
4136	60.0	X	30.0	X	2.00	929
4060	60.0	X	30.0	X	3.00	1361
4112	60.0	X	30.0	X	4.00	1771
4121	60.0	X	30.0	X	5.00	2160
4162	60.0	X	34.0	X	3.00	1426
4374	60.0	X	36.0	X	2.00	994
4107	60.0	X	40.0	X	2.00	1037

STANDARD PROFILES (4000)

						gr/m
	H		B		S	
4046	60.0	X	40.0	X	2.50	1283
4135	60.0	X	40.0	X	3.00	1523
4061	60.0	X	40.0	X	4.00	1987
4047	60.0	X	50.0	X	3.00	1685
4297	60.0	X	50.0	X	4.00	2203
4323	60.0	X	60.0	X	1.50	948
4062	60.0	X	60.0	X	2.00	1253
4172	60.0	X	60.0	X	2.50	1553
4128	60.0	X	60.0	X	3.00	1847
4048	60.0	X	60.0	X	4.00	2419
4280	60.0	X	60.0	X	5.00	2970
4063	65.0	X	65.0	X	2.50	1688
4274	70.0	X	20.0	X	2.00	929
4064	70.0	X	25.0	X	2.50	1215
4031	70.0	X	30.0	X	1.50	786
4101	70.0	X	30.0	X	2.00	1037
4395	70.0	X	30.0	X	3.00	1523
4370	70.0	X	35.0	X	1.50	826
4144	70.0	X	40.0	X	3.00	1685
4166	70.0	X	50.0	X	2.00	1253
4239	70.0	X	70.0	X	2.00	1469
4235	70.0	X	70.0	X	3.00	2171
4065	70.0	X	70.0	X	4.00	2851
4041	75.0	X	25.0	X	2.00	1037
4233	75.0	X	45.0	X	2.00	1253
4241	75.0	X	50.0	X	3.00	1928
4420	75.0	X	55.0	X	2.00	1361
4034	75.0	X	75.0	X	2.50	1958
4320	80.0	X	10.0	X	2.00	929
4407	80.0	X	15.0	X	1.50	745
4218	80.0	X	18.0	X	2.00	1015
4148	80.0	X	20.0	X	1.20	632
4102	80.0	X	20.0	X	1.50	786
4016	80.0	X	20.0	X	2.00	1037
4066	80.0	X	20.0	X	2.50	1283
4099	80.0	X	20.0	X	4.00	1987
4257	80.0	X	25.0	X	2.50	1350
4131	80.0	X	30.0	X	2.00	1145
4168	80.0	X	30.0	X	3.00	1685
4305	80.0	X	30.0	X	4.00	2203
4027	80.0	X	40.0	X	1.50	948
4203	80.0	X	40.0	X	2.50	1553
4017	80.0		40.0		2.00	1253
4142	80.0	X	40.0	X	3.00	1847
4087	80.0	X	40.0	X	4.00	2419
4037	80.0	X	50.0	X	2.00	1361
4052	80.0	X	50.0	X	3.00	2009
4067	80.0	X	50.0	X	4.00	2635

STANDARD PROFILES (4000)

						gr/m
	H		B		S	
4232	80.0	X	50.0	X	5.00	3240
4196	80.0	X	60.0	X	3.00	2171
4108	80.0	X	60.0	X	4.00	2851
4129	80.0	X	80.0	X	2.00	1685
4068	80.0	X	80.0	X	3.00	2495
4069	80.0	X	80.0	X	4.00	3283
4254	80.0	X	80.0	X	5.00	4050
4401	80.0	X	80.0	X	6.00	4795
4383	80.0	X	80.0	X	8.00	6221
4160	85.0	X	20.0	X	1.30	719
4247	89.0	X	44.5	X	1.90	1331
4363	90.0	X	50.0	X	3.00	2171
4312	90.0	X	70.0	X	3.50	2892
4424	90.0	X	90.0	X	2.50	2363
4049	90.0	X	90.0	X	4.00	3715
4050	100.0	X	18.0	X	2.00	1231
4146	100.0	X	18.0	X	4.00	2376
4103	100.0	X	20.0	X	1.50	948
4032	100.0	X	20.0	X	2.00	1253
4227	100.0	X	20.0	X	3.00	1847
4149	100.0	X	25.0	X	1.30	859
4143	100.0	X	25.0	X	2.00	1307
4104	100.0	X	30.0	X	1.50	1029
4018	100.0	X	30.0	X	2.00	1361
4229	100.0	X	30.0	X	3.00	2009
4042	100.0	X	40.0	X	1.50	1110
4019	100.0	X	40.0	X	2.00	1469
4191	100.0	X	40.0	X	2.50	1823
4272	100.0	X	40.0	X	3.00	2171
4070	100.0	X	40.0	X	4.00	2851
4038	100.0	X	45.0	X	2.00	1523
4033	100.0	X	50.0	X	2.00	1577
4423	100.0	X	50.0	X	2.50	1958
4095	100.0	X	50.0	X	3.00	2333
4167	100.0	X	50.0	X	4.00	3067
4071	100.0	X	50.0	X	5.00	3780
4389	100.0	X	60.0	X	2.00	1685
4081	100.0	X	60.0	X	2.50	2093
4258	100.0	X	60.0	X	3.00	2495
4150	100.0	X	60.0	X	4.00	3283
4161	100.0	X	75.0	X	2.50	2295
4384	100.0	X	80.0	X	2.00	1901
4080	100.0	X	80.0	X	3.00	2819
4262	100.0	X	80.0	X	4.00	3715
4130	100.0	X	100.0	X	2.00	2117
4035	100.0	X	100.0	X	2.50	2633
4222	100.0	X	100.0	X	3.00	3143
4110	100.0	X	100.0	X	4.00	4147

STANDARD PROFILES (4000)


						gr/m
	H		B		S	
4263	100.0	X	100.0	X	5.00	5130
4385	100.0	X	100.0	X	8.00	7949
4386	100.0	X	100.0	X	10.00	9720
4244	101.6	X	44.5	X	1.90	1460
4245	101.6	X	101.6	X	2.20	2362
4367	110.0	X	30.0	X	4.00	2851
4361	110.0	X	50.0	X	2.00	1685
4406	110.0	X	50.0	X	2.50	2093
4425	110.0		60.0		2.00	1793
4181	110.0	X	60.0	X	4.00	3499
4399	110.0	X	110.0	X	2.00	2333
4279	110.0	X	110.0	X	4.00	4579
4246	114.0	X	44.5	X	2.20	1831
4105	120.0	X	20.0	X	1.50	1110
4020	120.0	X	20.0	X	2.00	1469
4431	120.0	X	20.0	X	4.00	2851
4194	120.0	X	30.0	X	2.00	1577
4132	120.0	X	30.0	X	3.00	2333
4025	120.0	X	40.0	X	2.00	1685
4267	120.0	X	40.0	X	2.50	2093
4396	120.0	X	40.0	X	3.00	2495
4089	120.0	X	40.0	X	4.00	3283
4138	120.0	X	50.0	X	2.00	1793
4173	120.0	X	50.0	X	3.00	2657
4114	120.0	X	50.0	X	4.00	3499
4417	120.0	X	60.0	X	2.00	1901
4072	120.0	X	60.0	X	3.00	2819
4073	120.0	X	60.0	X	4.00	3715
4303	120.0	X	60.0	X	8.00	7085
4134	120.0	X	80.0	X	3.00	3143
4430	120.0	X	80.0	X	4.00	4147
4321	120.0	X	100.0	X	3.00	3467
4074	120.0	X	120.0	X	2.50	3173
4256	120.0	X	120.0	X	4.00	5011
4126	120.0	X	120.0	X	5.00	6210
4397	130.0	X	30.0	X	3.00	2495
4307	130.0	X	50.0	X	4.00	3715
4388	130.0	X	60.0	X	3.00	2981
4342	135.0		20.0		3.00	2414
4120	135.0	X	135.0	X	3.00	4277
4122	140.0	X	18.0	X	2.00	1663
4411	140.0	X	20.0	X	3.00	2495
4230	140.0	X	40.0	X	4.00	3715
4186	140.0	X	60.0	X	2.50	2633
4412	140.0	X	60.0	X	4.00	4147
4224	140.0	X	80.0	X	3.00	3467
4231	140.0	X	80.0	X	4.00	4579
4402	140.0		80.0		6.00	6739

STANDARD PROFILES (4000)

						gr/m
	H		B		S	
4333	140.0	X	100.0	X	2.50	3173
4182	145.0	X	145.0	X	3.00	4601
4184	150.0	X	18.0	X	2.00	1771
4428	150.0	X	20.0	X	2.00	1793
4371	150.0	X	25.0	X	3.00	2738
4353	150.0	X	30.0	X	2.50	2363
4153	150.0	X	30.0	X	2.80	2637
4242	150.0	X	30.0	X	3.00	2819
4192	150.0	X	40.0	X	2.50	2498
4075	150.0	X	40.0	X	4.00	3931
4109	150.0	X	50.0	X	2.00	2117
4011	150.0	X	50.0	X	3.00	3143
4155	150.0	X	50.0	X	4.00	4147
4195	150.0	X	60.0	X	3.00	3305
4115	150.0	X	60.0	X	5.00	5400
4026	150.0	X	60.0	X	7.00	7409
4390	150.0	X	80.0	X	4.00	4795
4076	150.0	X	100.0	X	3.00	3953
4404	150.0	X	150.0	X	3.00	4763
4204	160.0	X	40.0	X	2.00	2117
4178	160.0	X	60.0	X	4.00	4579
4201	160.0	X	60.0	X	5.00	5670
4228	160.0	X	77.0	X	8.00	9547
4154	160.0	X	80.0	X	4.00	5011
4219	160.0	X	90.0	X	5.00	6480
4387	160.0	X	60.0	X	3.00	3467
4429	160.0		80.0		5.00	6210
4426	160.0	X	80.0	X	8.00	9677
4295	170.0	X	25.0	X	1.80	1860
4124	170.0	X	70.0	X	4.00	5011
4329	180.0		18.0		2.00	2095
4053	180.0	X	40.0	X	4.00	4579
4334	180.0	X	50.0	X	3.00	3629
4140	180.0	X	50.0	X	4.00	4795
4187	180.0	X	60.0	X	3.00	3791
4310	180.0	X	60.0	X	4.00	5011
4127	180.0	X	80.0	X	4.00	5443
4220	180.0	X	80.0	X	6.00	8035
4145	190.0	X	56.0	X	5.00	6372
4189	200.0	X	18.0	X	2.00	2311
4400	200.0	X	20.0	X	2.00	2333
4152	200.0	X	30.0	X	2.80	3393
4309	200.0	X	35.0	X	2.00	2495
4190	200.0	X	50.0	X	2.50	3308
4179	200.0	X	50.0	X	4.00	5227
4174	200.0	X	60.0	X	4.00	5443

STANDARD PROFILES (3000)

							gr/m	
	H1		B		H2		S	
3176	6.8	X	60.0	X	6.8	X	1.00	192
3128	10.0	X	10.0	X	10.0	X	2.00	140
3190	10.0	X	10.0	X	10.0	X	1.50	109
3099	10.0	X	19.5	X	10.0	X	1.50	148
3145	10.0	X	20.0	X	10.0	X	2.00	194
3205	10.0	X	22.0	X	10.0	X	1.50	158
3092	10.0	X	22.0	X	10.0	X	3.00	292
3163	10.0	X	23.0	X	10.0	X	1.50	162
3198	12.0	X	12.0	X	12.0	X	2.00	173
3210	12.0		14.0		12.0		2.00	184
3051	12.0	X	45.5	X	12.0	X	2.50	435
3139	12.7	X	12.7	X	12.7	X	1.20	116
3100	13.0	X	13.0	X	13.0	X	2.00	189
3212	13.0		16.0		13.0		1.50	158
3174	13.0	X	50.0	X	13.0	X	4.00	734
3056	14.2	X	21.0	X	14.2	X	1.20	152
3001	15.0	X	11.0	X	15.0	X	2.00	200
3159	15.0	X	12.0	X	15.0	X	2.00	205
3075	15.0	X	15.0	X	15.0	X	1.50	170
3030	15.0	X	15.0	X	15.0	X	2.00	221
3076	15.0	X	15.0	X	15.0	X	3.00	316
3096	15.0	X	20.0	X	15.0	X	1.20	154
3192	15.0	X	20.0	X	15.0	X	2.00	248
3008	15.0	X	23.8	X	57.0	X	1.40	352
3097	15.0	X	25.0	X	15.0	X	1.20	170
3178	15.0	X	30.0	X	15.0	X	1.20	187
3193	15.0	X	30.0	X	15.0	X	1.70	260
3157	15.0	X	30.0	X	15.0	X	2.00	302
3146	15.0	X	30.0	X	15.0	X	3.00	437
3173	15.0	X	40.0	X	15.0	X	4.00	670
3104	15.0	X	45.0	X	15.0	X	1.20	235
3038	15.0	X	50.0	X	15.0	X	2.00	410
3012	16.0	X	12.0	X	30.0	X	2.00	292
3052	19.0	X	25.0	X	19.0	X	3.00	462
3175	20.0	X	10.0	X	20.0	X	2.00	248
3002	20.0	X	11.0	X	20.0	X	2.00	254
3065	20.0	X	12.0	X	20.0	X	2.00	259
3060	20.0	X	13.0	X	20.0	X	1.25	170
3155	20.0	X	15.0	X	20.0	X	1.50	211
3211	20.0		15.0		20.0		2.00	275
3087	20.0	X	17.0	X	20.0	X	1.25	184
3088	20.0	X	18.0	X	20.0	X	1.25	187
3006	20.0	X	19.0	X	20.0	X	1.20	183
3061	20.0	X	19.0	X	20.0	X	1.25	191
3179	20.0		20.0		20.0		1.50	231
3003	20.0	X	20.0	X	20.0	X	2.00	302
3048	20.0	X	20.0	X	20.0	X	3.00	437
3136	20.0	X	25.0	X	20.0	X	2.00	329
3082	20.0	X	25.0	X	20.0	X	2.50	405
3181	20.0	X	25.0	X	20.0	X	3.00	478
3150	20.0	X	30.0	X	20.0	X	1.30	237
3062	20.0	X	30.0	X	20.0	X	2.00	356
3050	20.0	X	35.0	X	20.0	X	2.00	383
3023	20.0	X	38.0	X	20.0	X	1.50	304
3020	20.0	X	38.0	X	20.0	X	2.00	400
3054	20.0	X	40.0	X	20.0	X	1.50	312
3022	20.0	X	40.0	X	20.0	X	2.00	410



STANDARD PROFILES (3000)

							gr/m	
	H1		B		H2		S	
3094	20.0	X	40.0	X	20.0	X	2.50	506
3040	20.0	X	40.0	X	20.0	X	3.00	599
3021	20.0	X	44.0	X	20.0	X	2.00	432
3160	20.0	X	45.0	X	20.0	X	2.00	437
3106	20.0	X	50.0	X	20.0	X	2.00	464
3200	20.0	X	55.0	X	20.0	X	2.00	491
3041	20.0	X	60.0	X	20.0	X	2.00	518
3202	20.0	X	70.0	X	20.0	X	2.00	572
3121	20.0	X	80.0	X	20.0	X	2.00	626
3142	20.0	X	90.0	X	20.0	X	2.50	844
3042	20.0	X	120.0	X	20.0	X	2.50	1046
3079	21.0	X	21.0	X	21.0	X	1.50	243
3086	22.0	X	77.0	X	22.0	X	1.70	540
3009	23.0	X	13.0	X	30.0	X	2.00	335
3126	23.0	X	23.0	X	23.0	X	1.50	267
3141	25.0	X	15.0	X	25.0	X	1.50	251
3063	25.0	X	17.0	X	25.0	X	1.25	218
3064	25.0	X	18.0	X	25.0	X	1.25	221
3069	25.0	X	19.0	X	25.0	X	1.25	224
3089	25.0	X	20.0	X	25.0	X	1.25	228
3080	25.0	X	20.0	X	25.0	X	2.00	356
3081	25.0	X	20.0	X	25.0	X	3.00	518
3004	25.0	X	22.0	X	25.0	X	2.00	367
3029	25.0	X	25.0	X	25.0	X	2.00	383
3164	25.0	X	25.0	X	25.0	X	2.50	473
3039	25.0	X	25.0	X	25.0	X	3.00	559
3169	25.0	X	30.0	X	25.0	X	2.00	410
3165	25.0	X	50.0	X	25.0	X	2.00	518
3124	25.0	X	50.0	X	25.0	X	2.50	641
3203	25.0	X	60.0	X	25.0	X	2.50	709
3162	25.0	X	60.0	X	25.0	X	3.00	842
3120	25.0	X	67.0	X	25.0	X	2.00	610
3026	25.0	X	80.0	X	25.0	X	1.60	548
3117	25.0	X	80.0	X	25.0	X	3.00	1004
3027	25.0	X	100.0	X	25.0	X	1.60	634
3137	25.0	X	100.0	X	25.0	X	3.00	1166
3025	28.0	X	20.0	X	28.0	X	1.50	296
3066	28.0	X	80.0	X	28.0	X	8.00	2592
3129	30.0	X	20.0	X	30.0	X	2.00	410
3031	30.0	X	30.0	X	30.0	X	2.00	464
3074	30.0	X	30.0	X	30.0	X	3.00	680
3208	30.0		40.0		30.0		2.00	518
3055	30.0	X	40.0	X	30.0	X	3.00	761
3067	30.0	X	40.0	X	30.0	X	4.00	994
3138	30.0	X	50.0	X	30.0	X	2.00	572
3035	30.0	X	50.0	X	30.0	X	3.00	842
3134	30.0	X	50.0	X	30.0	X	4.00	1102
3167	30.0	X	60.0	X	30.0	X	3.00	923
3033	30.0	X	60.0	X	30.0	X	4.00	1210
3132	30.0	X	80.0	X	30.0	X	3.00	1085
3182	33.0	X	37.0	X	33.0	X	3.00	786
3161	35.0	X	35.0	X	35.0	X	2.00	545
3186	35.0	X	54.0	X	35.0	X	8&4	1932
3115	35.0	X	70.0	X	35.0	X	3.00	1085
3024	35.0	X	80.0	X	35.0	X	2.00	788
3154	37.5	X	55.0	X	37.5	X	3.50	1162
3072	38.0	X	31.0	X	38.0	X	2.50	689

7

STANDARD PROFILES (3000)


							gr/m	
	H1		B		H2		S	
3144	39.0	X	47.0	X	39.0	X	3.50	1115
3034	40.0	X	20.0	X	40.0	X	2.00	518
3171	40.0		20.0		40.0		2.50	641
3170	40.0	X	20.0	X	40.0	X	4.00	994
3180	40.0	X	25.0	X	10.0	X	3.00	559
3043	40.0	X	25.0	X	40.0	X	2.00	545
3196	40.0	X	25.0	X	40.0	X	3.00	802
3172	40.0		30.0		40.0		2.00	572
3044	40.0	X	30.0	X	40.0	X	3.00	842
3135	40.0	X	40.0	X	40.0	X	2.00	626
3118	40.0	X	40.0	X	40.0	X	3.00	923
3032	40.0	X	40.0	X	40.0	X	4.00	1210
3183	40.0	X	40.0	X	40.0	X	5.00	1485
3077	40.0	X	50.0	X	40.0	X	4.00	1318
3122	40.0	X	50.0	X	40.0	X	5.00	1620
3148	40.0	X	55.0	X	40.0	X	2.00	707
3093	40.0	X	60.0	X	40.0	X	2.50	911
3083	40.0	X	60.0	X	40.0	X	3.00	1085
3158	40.0	X	60.0	X	40.0	X	4.00	1426
3090	40.0	X	60.0	X	40.0	X	5.00	1755
3166	40.0	X	70.0	X	40.0	X	3.00	1166
3109	40.0	X	79.0	X	40.0	X	2.00	837
3114	40.0	X	79.0	X	40.0	X	3.00	1239
3017	40.0	X	80.0	X	40.0	X	2.50	1046
3073	40.0	X	80.0	X	40.0	X	3.00	1247
3078	40.0	X	80.0	X	40.0	X	4.00	1642
3119	40.0	X	86.0	X	40.0	X	2.00	875
3143	40.0	X	86.0	X	40.0	X	3.00	1296
3131	40.0	X	100.0	X	40.0	X	3.00	1409
3084	40.0	X	140.0	X	40.0	X	3.00	1733
3207	40.0	X	140.0	X	40.0	X	6.00	3370
3152	40.0	X	200.0	X	40.0	X	3.00	2219
3095	40.0	X	200.0	X	40.0	X	8(R3)	5700
3213	45.0		45.0		45.0		2.50	878
3101	45.0	X	80.0	X	45.0	X	3.00	1328
3102	45.0	X	80.0	X	45.0	X	6.00	2560
3053	50.0	X	30.0	X	50.0	X	3.00	1004
3085	50.0	X	50.0	X	50.0	X	2.00	788
3045	50.0	X	50.0	X	50.0	X	3.00	1166
3036	50.0	X	50.0	X	50.0	X	4.00	1534
3156	50.0	X	50.0	X	50.0	X	5.00	1890
3204	50.0	X	55.0	X	50.0	X	2.00	815
3214	50.0		60.0		50.0		2.00	842
3133	50.0	X	60.0	X	50.0	X	3.00	1247
3105	50.0	X	80.0	X	50.0	X	3.00	1409
3068	50.0	X	80.0	X	50.0	X	5.00	2295
3091	50.0	X	88.0	X	50.0	X	3.00	1474
3127	50.0	X	90.0	X	50.0	X	3.00	1490
3103	50.0	X	100.0	X	50.0	X	3.00	1571
3037	50.0	X	100.0	X	50.0	X	5.00	2565
3098	50.0	X	100.0	X	50.0	X	8.00	3974
3116	50.0	X	108.0	X	50.0	X	3.00	1636
3199	50.0	X	200.0	X	50.0	X	5.00	3915
3071	50.5	X	76.0	X	50.5	X	3.00	1385
3201	60.0	X	40.0	X	60.0	X	4.00	1642
3049	60.0	X	60.0	X	60.0	X	2.00	950
3057	60.0	X	60.0	X	60.0	X	3.00	1409

STANDARD PROFILES (3000)


							gr/m
	H1		B		H2		S
3123	60.0	X	60.0	X	60.0	X	4.00
3130	60.0	X	60.0	X	60.0	X	5.00
3140	60.0	X	60.0	X	60.0	X	6.00
3110	60.0	X	80.0	X	60.0	X	5.00
3206	60.0	X	140.0	X	60.0	X	6.00
3059	60.0	X	140.0	X	60.0	X	7.00
3153	60.0	X	160.0	X	60.0	X	3.00
3195	60.0		160.0		60.0		10.00
3188	60.0	X	170.0	X	60.0	X	4.00
3028	62.0	X	45.0	X	62.0	X	2.00
3147	64.0	X	100.0	X	64.0	X	6.40
3046	65.0	X	40.0	X	65.0	X	2.00
3149	80.0	X	80.0	X	80.0	X	4.00
3108	80.0	X	86.0	X	80.0	X	3.00
3197	80.0	X	125.0	X	80.0	X	8.00
3047	80.0	X	160.0	X	80.0	X	8.00
3191	80.0	X	160.0	X	80.0	X	10.00
3125	90.0	X	50.0	X	90.0	X	3.00
3168	100.0		60.0		60.0		6.00
3111	100.0	X	86.0	X	100.0	X	3.00
3070	100.0	X	100.0	X	100.0	X	8.00
3151	100.0	X	200.0	X	100.0	X	10.00
3112	120.0	X	86.0	X	120.0	X	3.00
3209	120.0	X	188.0	X	120.0	X	10.00
3194	130.0	X	89.0	X	130.0	X	4.50
3113	140.0	X	86.0	X	140.0	X	3.00
3058	140.0	X	150.0	X	140.0	X	6.00
3107	160.0	X	86.0	X	160.0	X	3.00

7

STANDARD PROFILES (D)		
		gr/m
	D	
D7,2	7.2	110
D7,8	7.8	129
D8	8	136
D10	10	212
D12	12	305
D14	14	415
D15	15	477
D16	16	543
D20	20	848
D25	25	1325
D30	30	1908
D35	35	2596
D40	40	3391
D50	50	5299
D60	60	7630



STANDARD PROFILES ()				
				gr/m
	D		S	
12,6 1,625	12.6		1,625	-22224951
14,7 1,5	14.7		1.50	168
13X1,5	13.0		1.50	146
15 1,5	15.0	X	1.50	172
15 2,0	15.0	X	2.00	221
15,7 1,3	15.7	X	1.30	159
16 1.2	16.0		1.20	151
16 1,5	16.0	X	1.50	184
16 1,8	16.0	X	1.80	217
16 2,0	16.0	X	2.00	238
17 1,5	17.0	X	1.50	197
18 1,5	18.0	X	1.50	210
18 2	18.0	X	2.00	271
18,6 1,5	18.6	X	1.50	218
19 1,5	19.0		1.50	223
20 1,2	20.0	X	1.20	191
20 1,5	20.0	X	1.50	235
20 2	20.0	X	2.00	305
20 3	20.0	X	3.00	433
20 4	20.0	X	4.00	543
20 5	20.0		5.00	636
21,7 1,5	21.7	X	1.50	257
22 1	22.0		1.00	178
22 1,5	22.0	X	1.50	261
22 2	22.0	X	2.00	339
22 2.5	22.0		2.50	414
22,5 1,5	22.5	X	1.50	267
23,7 1,5	23.7	X	1.50	282
24 1	24.0		1.00	195
25 1,3	25.0	X	1.30	261
25 1,5	25.0	X	1.50	299
25 2	25.0	X	2.00	390
25 2,5	25.0	X	2.50	477
25 3	25.0	X	3.00	560
25 4	25.0	X	4.00	713
25 5	25.0	X	5.00	848
26 1,5	26.0	X	1.50	312
26 2	26.0	X	2.00	407
26,4 1,5	26.4	X	1.50	317
26,9 2,5	26.9		2.50	517
27 4	27.0		4.00	780
28 1,5	28.0	X	1.50	337
28 2	28.0	X	2.00	441
28 3	28.0		3.00	636
28,9 1,5	28.9	X	1.50	349
30 1	30.0		1.00	246
30 1,25	30.0		1.25	305
30 1,5	30.0	X	1.50	363
30 2	30.0	X	2.00	475
30 2.5	30.0		2.50	583
30 3	30.0	X	3.00	687
30 4	30.0	X	4.00	882
30 5	30.0	X	5.00	1060
32 1,5	32.0	X	1.50	388
32 2	32.0	X	2.00	509
33 3	33.0		3.00	763
33,7 2	33.7		2.00	538
33,7 3	33.7	X	3.00	781
34 2	34.0		2.00	543
35 1,5	35.0		1.50	426



STANDARD PROFILES ()				
				gr/m
	D		S	
35 2	35.0	X	2.00	560
35 2,5	35.0	X	2.50	689
35 3	35.0	X	3.00	814
35 4	35.0	X	4.00	1052
35 4,5	35.0	X	4.50	1164
35 5	35.0	X	5.00	1272
37,9 1,5	37.9	X	1.50	463
38 1,5	38.0	X	1.50	464
38 3	38.0	X	3.00	891
38 4	38.0		4.00	1154
40 1,5	40.0	X	1.50	490
40 2	40.0	X	2.00	645
40 2,5	40.0	X	2.50	795
40 3	40.0	X	3.00	942
40 4	40.0		4.00	1221
40 5	40.0	X	5.00	1484
40 6	40.0	X	6.00	1730
40 10	40.0		10.00	2545
42 1,5	42.0		1.50	515
42 2	42.0	X	2.00	679
42 2,5	42.0		2.50	838
42 3	42.0	X	3.00	992
42 3,5	42.0	X	3.50	1143
42 4	42.0	X	4.00	1289
42 5	42.0	X	5.00	1569
42,3 2,8	42.3	X	2.80	938
45 1,5	45.0	X	1.50	553
45 2	45.0	X	2.00	729
45 2,5	45.0	X	2.50	901
45 3	45.0	X	3.00	1069
45 4	45.0	X	4.00	1391
45 5	45.0		5.00	1696
46 2	46.0	X	2.00	746
46 5	46.0	X	5.00	1739
46,5 2	46.5	X	2.00	755
48 1,5	48.0		1.50	592
48 2	48.0	X	2.00	780
48 2,5	48.0	X	2.50	965
48 3	48.0	X	3.00	1145
48 3,45	48.0	X	3.45	1304
48 4	48.0		4.00	1493
48,2 3,35	48.2		3.35	1274
48,3 3,5	48.3	X	3.50	1330
48,3 4,05	48.3	X	4.05	1520
48 5,0	48.0	X	5.00	1824
50 1	50.0	X	1.00	416
50 1,5	50.0	X	1.50	617
50 2	50.0	X	2.00	814
50 2,5	50.0	X	2.50	1007
50 3	50.0	X	3.00	1196
50 4	50.0	X	4.00	1561
50 5	50.0	X	5.00	1909
50 10	50.0	X	10.00	3393
50,8 1,5	50.8	X	1.50	627
51 2	51.0		2.00	831
51 3,2	51.0		3.20	1297
52 1,5	52.0	X	1.50	643
52 6	52.0		6.00	2341
53 1,5	53.0		1.50	655
53 3	53.0		3.00	1272


STANDARD PROFILES ()				
				gr/m
	D		S	
55 2	55.0		2.00	899
55 2,5	55.0	X	2.50	1113
55 5	55.0	X	5.00	2121
56 1,2	56.0	X	1.20	558
56 3	56.0	X	3.00	1349
58 3	58.0	X	3.00	1400
60 1,5	60.0	X	1.50	744
60 2	60.0	X	2.00	984
60 2,5	60.0	X	2.50	1219
60 3	60.0	X	3.00	1450
60 4	60.0	X	4.00	1900
60 5	60.0	X	5.00	2333
60 6	60.0	X	6.00	2748
60 8	60.0	X	8.00	3529
60 10	60.0	X	10.00	4241
60 15	60.0		15.00	5726
60 20	60.0	X	20.00	6786
63 1,5	63.0	X	1.50	782
63 3	63.0	X	3.00	1527
64 2	64.0	X	2.00	1052
65 2	65.0		2.00	1069
65 2,5	65.0	X	2.50	1325
65 4	65.0	X	4.00	2070
65 5	65.0	X	5.00	2545
65 10	65.0		10.00	4665
66 3	66.0	X	3.00	1603
70 1,25	70.0	X	1.25	729
70 2	70.0	X	2.00	1154
70 3	70.0	X	3.00	1705
70 4	70.0	X	4.00	2239
70 5	70.0	X	5.00	2757
70 10	70.0	X	10.00	5089
72 4	72.0	X	4.00	2307
72 6	72.0	X	6.00	3359
75 1(73102)	75.0		1.00	628
75 1,5	75.0	X	1.50	935
75 2,5	75.0	X	2.50	1537
75 3	75.0	X	3.00	1832
75 5	75.0	X	5.00	2969
76 1,25	76.0	X	1.25	793
76 1,6	76.0		1.60	1010
76 2	76.0	X	2.00	1255
76 2,5	76.0	X	2.50	1559
76 3	76.0	X	3.00	1858
76 4	76.0	X	4.00	2443
76.2 0.9	76.2		0.90	575
76.2 2.6	76.2		2.60	1623
80 1,5	80.0	X	1.50	999
20104.0	80.0	X	1.65	1097
80 2	80.0	X	2.00	1323
80 2,5	80.0	X	2.50	1643
80 3	80.0	X	3.00	1959
80 4	80.0		4.00	2579
80 5	80.0	X	5.00	3181
80 8	80.0	X	8.00	4886
80 10	80.0	X	10.00	5938
80 15	80.0		15.00	8270
80,4 4,5	80.4	X	4.50	2897
84 2	84.0		2.00	1391
85 5	85.0	X	5.00	3393

STANDARD PROFILES ()				
				gr/m
	D		S	
86 3	86.0	X	3.00	2112
88,9 0,9	88.9		0.90	672
89 1,25	89.0	X	1.25	930
89 2	89.0		2.00	1476
89 3	89.0	X	3.00	2188
90 1,5	90.0	X	1.50	1126
90 2	90.0		2.00	1493
90 2,5	90.0	X	2.50	1856
90 3	90.0	X	3.00	2214
90 4	90.0	X	4.00	2918
90 5	90.0	X	5.00	3605
90 10	90.0	X	10.00	6786
90 25	90.0		25.00	13784
92,4 1,5	92.4	X	1.50	1157
95 1,5	95.0	X	1.50	1190
98,7 4	98.7	X	4.00	3213
100 1,2	100.0	X	1.20	1006
100 2	100.0	X	2.00	1663
100 2,5	100.0	X	2.50	2068
100 3	100.0	X	3.00	2468
100 4	100.0	X	4.00	3257
100 4,5	100.0		4.50	3645
100 5	100.0	X	5.00	4029
100 6	100.0		6.00	4784
100 7	100.0	X	7.00	5522
100 10	100.0	X	10.00	7634
100 20	100.0	X	20.00	13572
101,6 1	101.6	X	1.00	853
101,6 1.1	101.6		1.10	938
101,6 1,25	101.6	X	1.25	1064
101,6 1,5	101.6	X	1.50	1274
105 2,5	105.0		2.50	2174
106 2,5	106.0	X	2.50	2195
106 3	106.0	X	3.00	2621
108 3,0	108.0	X	3.00	2672
108 4	108.0	X	4.00	3529
108 5	108.0	X	5.00	4368
110 1,5	110.0	X	1.50	1380
110 3	110.0		3.00	2723
110 5	110.0	X	5.00	4453
110 8	110.0		8.00	6922
110 15	110.0		15.00	12087
111 7	111.0		7.00	6175
114 2	114.0		2.00	1900
114,3 3	114.3	X	3.00	2832
114,3 3,6	114.3		3.60	3380
114,3 6	114.3	X	6.00	5512
115 5	115.0		5.00	4665
120 2	120.0	X	2.00	2002
120 2,5	120.0	X	2.50	2492
120 3	120.0	X	3.00	2977
120 4	120.0	X	4.00	3936
120 5	120.0	X	5.00	4877
120 8,8	120.0		8.80	8300
120 15	120.0	X	15.00	13360
125 3	125.0		3.00	3105
125 4	125.0	X	4.00	4105
126,9 10,3	126.9		10.30	10187
130 2	130.0		2.00	2171
130 2,5	130.0	X	2.50	2704

STANDARD PROFILES ()				
				gr/m
	D		S	
130 3	130.0	X	3.00	3232
130 5	130.0	X	5.00	5301
130 10	130.0		10.00	10179
130 15	130.0	X	15.00	14632
133 3	133.0	X	3.00	3308
133 10	133.0		10.00	10433
135,9	135.9		11.30	11943
139 10	139.0		10.00	10942
140 3	140.0	X	3.00	3486
140 5	140.0	X	5.00	5726
140 10	140.0	X	10.00	11027
145 10	145.0		10.00	11451
150 2	150.0		2.00	2511
150 3	150.0	X	3.00	3741

STANDARD PROFILES (4000)


						gr/m	
	H		B		S		
4381	18.0		16.0		3	3(R1,5)	408
4169	20	X	15	X	1.2	1,2(R 2.0.8)	204
4210	25.0	X	15.0	X	1.8	1,8(R2)	345
4328	20		20		2.0	2(R2)	380
20813	20.0	X	30.0	X	3	3(R3)	994
4354	22		11		1.4	1,4(R1)	227
4316	25.0	X	25.0	X	1.2	1,2(R1,5)	304
4356	25	X	25	X	1.6	1,6(R3)	405
4265	25.0	X	25.0	X	1.7	1,7(R3,5)	417
4313	25	X	25	X	2.0	2(R2)	488
4236	25.0	X	25.0	X	2.25	2,25(R1)	551
4221	30	X	10	X	2.0	2(R2)	389
4355	30.0	X	15.0	X	1.4	1,4(R1,5)	313
4216	30	X	20	X	2.0	2(R2)	488
4301	30.0	X	30.0	X	1.5	1,5(R2)	453
4212	30	X	30	X	2.0	2(R2)	596
4199	30.0	X	30.0	X	3	3(R3)	1005
4922	32	X	32	X	2.0	2(R4)	620
4372	32.0	X	40.0	X	1.5	1,5(R1)	557
4253	35	X	25	X	2.0	2(R2)	596
4373	35.0	X	35.0	X	2	2(R2)	704
4351	38	X	19	X	1.5	1,5(1)	435
4269	40.0	X	20.0	X	1.5	1,5(R2)	453
4211	40	X	20	X	2.0	2(R2)	596
4209	40.0	X	25.0	X	1.5	1,5(R3)	502
4391	40	X	25	X	2.0	2(R3)	640
4165	40.0	X	30.0	X	4	4(R2)	1340
4344	40	X	40	X	2.0	2(R2)	812
4345	40.0	X	40.0	X	2	2(R2,5)	807
4193	40	X	40	X	2.0	2(R3)	810
4111	40.0	X	40.0	X	2	2(R4)	820
4213	40	X	40	X	2.5	2,5(R2)	1003
4277	40.0	X	40.0	X	2.5	2,5(R2,5)	1000
4318	40	X	40	X	3.0	3(R3)	1178
4214	40.0	X	40.0	X	3.5	3,5(R2)	1377
4217	40	X	40	X	4.0	4(R2)	1546
4346	40.2	X	32.6	X	1.3	1,3(R3)	478
4317	42		42		3.0	3(R4)	1227
4255	45.0	X	25.0	X	2	2(R2)	703
4285	45		45		2.5	2,5(R3,5)	1121
4347	50.0	X	25.0	X	2	2(R3)	745
4348	50	X	25	X	3.0	3(R3)	1096
4335	50.0		30.0		2	2(R2)	812
4092	50	X	30	X	3.0	3(R3)	1200
4270	50.0	X	40.0	X	2	2(R2)	920
4249	50	X	40	X	4.0	4(R2)	1762
4357	50.0	X	50.0	X	2	2(R1)	1036
4271	50	X	50	X	2.0	2(R2)	1028
4413	50.0	X	100.0	X	3	3(R2)	2324
4289	52	X	24	X	1.5	1,5(R2,5)	580
4264	56.0	X	31.0	X	2.5	2,5(R2)	1098
4123	60	X	50	X	3.8	3,75(R1)	2052
4238	60.0	X	24.5	X	1.5	1,5(R2,75)	646
4368	60	X	30	X	5.0	5(R2)	2151
4315	60.0	X	40.0	X	2	2(R2)	1028
4260	60	X	40	X	2.5	2,5(R2)	1273
4358	60.0	x	40.0	X	2.9	2,9(R3)	1455
4393	60	X	40	X	4.0	4(R3)	1967
4337	60.0		60.0		2	2(R2)	1245
4261	60	X	60	X	2.5	2,5(R3)	1553
4330	60.0	X	60.0	X	3	3(R3)	1826
4427	60	X	50	X	3.0	3(R3)	1664
20143	60.0	X	50.0	X	5	5(R7)	2596
4226	60	X	40	X	3.0	3(R3)	1507
4338	70.0	X	70.0	X	2	2(R2)	1461
4416	70	X	70	X	2.0	2(R4)	1437
4251	70.0	X	70.0	X	2.5	2,5(R4)	1790
4164	75	X	50	X	5.0	5(R2)	3105
4205	80.0	X	40.0	X	2	2(R2)	1244
4287	80	X	40	X	2.0	2(R3)	1232
4394	80.0	X	40.0	X	3	3(R3)	1826



STANDARD PROFILES (4000)

						gr/m
	H		B		S	
4432	80		40		4.0	4(R5) 2364
4349	80.0	X	50.0	X	3	3(R5) 1951
4339	80	X	80	X	2.0	2(R2) 1677
4350	80.0	X	80.0	X	2	2(R5) 1648
4294	80	X	80	X	3.0	3(R6) 2432
4188	80.0	X	80.0	X	4	4(R6) 3240
4331	90	X	50	X	5.0	5(R6) 3427
4382	100.0	X	20.0	X	1.7	1,7(R1,5) 1065
4403	100	X	25	X	1.8	1,8(R2) 1171
4340	100.0	X	100.0	X	2	2(R2) 2109
4276	100	X	100	X	3.0	3(R8) 3052
4379	100.0	X	100.0	X	4	4(5) 4092
4252	100	X	100	X	4.0	4(R8) 4020
4378	100.0	X	100.0	X	4	4(R10) 3973
4283	100	X	100	X	5.0	5(R10) 4956
4215	120.0	X	40.0	X	4	4(R2) 3274
4275	120	X	120	X	4.0	4(R10) 4863
20298	140.0	X	80.0	X	4	4(R6) 4505
4090	160	X	50	X	4.0	4(R5) 4365

STANDARD PROFILES (G)						
					gr/m	
	A		B		S	
G227	10.0	X	10.0	X	2.0	97
G235	12	X	12	X	3.0	170
G2	15.0	X	15.0	X	1.5	115
G25	15	X	15	X	2.0	151
G29	15.0	X	15.0	X	3.0	219
G23	20	X	10	X	1.5	115
G30	20.0	X	10.0	X	2.0	151
G120	20	X	15	X	2.0	178
G51	20.0	X	15.0	X	3.0	259
G3	20	X	20	X	1.5	156
G14	20.0	X	20.0	X	2.0	205
G33	20	X	20	X	3.0	300
G233	20.0	X	20.0	X	4.0	389
G194	20	X	30	X	5.0	598
G129	22.0	X	18.0	X	4.0	389
G135	22	X	22	X	3.0	332
G234	25.0	X	10.0	X	2.0	178
G215	25	X	15	X	1.5	156
G65	25.0	X	15.0	X	2.0	205
G22	25	X	15	X	3.0	300
G263	25.0	X	20.0	X	1.3	153
G124	25	X	20	X	1.5	176
G24	25.0	X	20.0	X	2.0	232
G185	25	X	25	X	1.2	158
G20	25.0	X	25.0	X	1.5	196
G4	25	X	25	X	2.0	259
G190	25.0	X	25.0	X	2.7	345
G35	25	X	25	X	3.0	381
G163	30.0	X	10.0	X	2.0	205
G138	30	X	15	X	1.5	176
G27	30.0	X	15.0	X	2.0	232
G92	30	X	15	X	3.0	340
G264	30.0	X	18.0	X	1.3	164
G6	30	X	20	X	1.5	196
G31	30.0	X	20.0	X	2.0	259
G32	30	X	20	X	3.0	381
G211	30.0	X	20.0	X	4.0	497
G89	30	X	25	X	2.0	286
G212	30.0	X	25.0	X	3.0	421
G245	30	X	27	X	3.0	437
G204	30.0	X	28.0	X	2.0	302
G21	30	X	30	X	1.4	222
G260	30.0	X	30.0	X	1.8	283
G5	30	X	30	X	2.0	313
G69	30.0	X	30.0	X	2.5	388
G188	30	X	30	X	2.7	418
G26	30.0	X	30.0	X	3.0	462
G83	30	X	30	X	4.0	605
G110	30.0	X	30.0	X	5.0	743
G58	35	X	15	X	2.0	259
G59	35.0	X	20.0	X	2.0	286
G93	35	X	20	X	3.0	421
G201	35.0	X	25.0	X	2.0	313
G52	35	X	25	X	3.0	462
G85	35.0	X	35.0	X	2.0	367
G66	35	X	35	X	3.0	543
G179	35.0	X	35.0	X	3.5	628
G168	35	X	35	X	4.0	713
G272	35.0	X	35.0	X	8.0	1339
G180	38	X	38	X	1.5	302
G82	38.0	X	38.0	X	3.0	591
G148	40	X	10	X	1.5	196
G173	40.0	X	10.0	X	2.0	259
G43	40	X	15	X	2.0	286



STANDARD PROFILES (G)						
					gr/m	
	A		B		S	
G265	40.0	X	18.0	X	1.5	229
G248	40	X	20	X	1.1	175
G8	40.0	X	20.0	X	2.0	313
G189	40	X	20	X	2.7	418
G78	40.0	X	20.0	X	3.0	462
G73	40	X	20	X	3.8	577
G79	40.0	X	20.0	X	4.0	605
G230	40	X	20	X	5.0	743
G1	40.0	X	25.0	X	2.0	340
G94	40	X	25	X	3.0	502
G74	40.0	X	30.0	X	2.0	367
G192	40	X	30	X	2.7	491
G38	40.0	X	30.0	X	3.0	543
G251	40	X	30	X	3.5	628
G95	40.0	X	30.0	X	4.0	713
G62	40	X	30	X	5.0	878
G274	40.0	X	40.0	X	1.3	276
G7	40	X	40	X	2.0	421
G191	40.0	X	40.0	X	2.7	564
G11	40	X	40	X	3.0	624
G15	40.0	X	40.0	X	4.0	821
G37	40	X	40	X	5.0	1013
G140	45.0	X	15.0	X	2.0	313
G45	45	X	20	X	2.0	340
G280	45.0	X	20.0	X	3.0	502
G171	45	X	25	X	3.0	543
G75	45.0	X	30.0	X	3.0	583
G167	45	X	35	X	4.0	821
G47	45.0	X	45.0	X	2.0	475
G141	45	X	45	X	3.0	705
G255	45.0	X	45.0	X	4.0	929
G277	46	X	20	X	2.0	346
G281	50.0	X	15.0	X	2.0	340
G266	50	X	18	X	1.5	269
G34	50.0	X	20.0	X	2.0	367
G206	50	X	20	X	3.0	543
G205	50.0	X	20.0	X	4.0	713
G278	50	X	23	X	5.0	918
G72	50.0	X	25.0	X	2.0	394
G162	50	X	25	X	3.0	583
G157	50.0	X	25.0	X	5.0	945
G68	50	X	30	X	2.0	421
G39	50.0	X	30.0	X	3.0	624
G159	50	X	30	X	4.0	821
G41	50.0	X	30.0	X	5.0	1013
G279	50	X	35	X	3.0	664
G147	50.0	X	35.0	X	4.0	875
G181	50	X	40	X	2.0	475
G96	50.0	X	40.0	X	3.0	705
G132	50	X	40	X	4.0	929
G225	50.0	X	40.0	X	5.0	1148
G117	50	X	50	X	2.0	529
G16	50.0	X	50.0	X	3.0	786
G17	50	X	50	X	4.0	1037
G12	50.0	X	50.0	X	5.0	1283
G182	50	X	50	X	6.0	1523
G257	50.0	X	50.0	X	8.0	1987
G143	50	X	50	X	10.0	2430
G178	50.8	X	25.4	X	1.6	322
G177	51	X	51	X	1.6	432
G252	55.0	X	30.0	X	3.0	664
G164	60	X	10	X	2.0	367
G213	60.0	X	15.0	X	2.0	394
G161	60	X	20	X	1.5	318

STANDARD PROFILES (G)						
					gr/m	
	A		B		S	
G9	60.0	X	20.0	X	2.0	421
G156	60	X	20	X	3.0	624
G134	60.0	X	22.0	X	3.0	640
G13	60	X	25	X	2.0	448
G97	60.0	X	25.0	X	2.5	557
G36	60	X	30	X	2.0	475
G44	60.0	X	30.0	X	3.0	705
G40	60	X	30	X	4.0	929
G193	60.0	X	30.0	X	5.0	1148
G175	60	X	30	X	6.0	1361
G137	60.0	X	40.0	X	2.0	529
G42	60	X	40	X	3.0	786
G67	60.0	X	40.0	X	4.0	1037
G127	60	X	40	X	5.0	1283
G186	60.0	X	40.0	X	6.0	1523
G86	60	X	60	X	2.0	637
G111	60.0	X	60.0	X	2.5	793
G49	60	X	60	X	3.0	948
G60	60.0	X	60.0	X	4.0	1253
G10	60	X	60	X	5.0	1553
G87	60.0	X	60.0	X	6.0	1847
G236	60	X	60	X	8.0	2419
G247	60.0	X	60.0	X	10.0	2970
G229	70	X	15	X	2.0	448
G267	70.0	X	18.0	X	1.5	350
G174	70	X	20	X	2.0	475
G125	70.0	X	20.0	X	3.0	705
G184	70	X	25	X	2.0	502
G98	70.0	X	25.0	X	2.5	624
G268	70	X	30	X	2.0	529
G170	70.0	X	30.0	X	3.0	786
G269	70	X	30	X	5.0	1283
G231	70.0	X	40.0	X	2.0	583
G224	70	X	50	X	5.0	1553
G46	70.0	X	70.0	X	2.5	928
G126	70	X	70	X	5.0	1823
G112	70.0	X	70.0	X	6.0	2171
G28	75	X	50	X	5.0	1620
G81	76.5	X	51.0	X	6.0	1968
G275	80	X	20	X	1.3	346
G70	80.0	X	20.0	X	2.0	529
G133	80	X	20	X	3.0	786
G88	80.0	X	25.0	X	2.0	556
G99	80	X	25	X	2.5	692
G165	80.0	X	30.0	X	2.0	583
G100	80	X	30	X	3.0	867
G154	80.0	X	40.0	X	2.0	637
G101	80	X	40	X	3.0	948
G64	80.0	X	40.0	X	4.0	1253
G142	80	X	40	X	5.0	1553
G102	80.0	X	40.0	X	6.0	1847
G48	80	X	45	X	2.0	664
G202	80.0	X	50.0	X	3.0	1029
G123	80	X	50	X	4.0	1361
G241	80.0	X	60.0	X	2.0	745
G258	80	X	60	X	4.0	1469
G76	80.0	X	60.0	X	6.0	2171
G55	80	X	80	X	3.0	1272
G113	80.0	X	80.0	X	4.0	1685
G166	80	X	80	X	5.0	2093
G114	80.0	X	80.0	X	6.0	2495
G63	80	X	80	X	8.0	3283
G50	80.0	X	80.0	X	10.0	4050
G238	80	X	80	X	12.0	4795


STANDARD PROFILES (G)						
					gr/m	
	A		B		S	
G19	85.0	X	30.0	X	2.0	610
G172	90	X	50	X	10.0	3510
G160	90.0	X	60.0	X	6.0	2333
G149	90	X	70	X	1.8	769
G210	90.0	X	70.0	X	2.5	1063
G261	90	X	90	X	6.0	2819
G262	90.0	X	90.0	X	10.0	4590
G18	98	X	58	X	8.0	3197
G276	100.0	X	20.0	X	1.3	417
G90	100	X	20	X	2.0	637
G187	100.0	X	25.0	X	2.0	664
G232	100	X	30	X	2.0	691
G103	100.0	X	30.0	X	3.0	1029
G223	100	x	40	x	2.0	745
G121	100.0	X	40.0	X	3.0	1110
G105	100	X	40	X	4.0	1469
G217	100.0	X	50.0	x	2.0	799
G106	100	X	50	X	3.0	1191
G84	100.0	X	50.0	X	5.0	1958
G107	100	X	50	X	6.0	2333
G216	100.0	X	50.0	X	8.0	3067
G91	100	X	50	X	10.0	3780
G53	100.0	X	60.0	X	6.0	2495
G218	100	X	70	X	2.0	907
G130	100.0	X	80.0	X	6.0	2819
G131	100	X	80	X	8.0	3715
G271	100.0	X	100.0	X	3.0	1596
G115	100	X	100	X	4.0	2117
G158	100.0	X	100.0	X	5.0	2633
G256	100	X	100	X	6.0	3143
G116	100.0	X	100.0	X	8.0	4147
G61	100	X	100	X	10.0	5130
G250	100.0	x	100.0	X	12.0	6091
G151	110	X	30	X	2.0	745
G240	110.0	X	90.0	X	2.5	1333
G273	112	X	50	X	3.0	1288
G228	120.0	X	20.0	X	2.0	745
G144	120	X	20	X	2.5	928
G237	120.0	X	30.0	X	1.5	601
G242	120	X	40	X	2.5	1063
G122	120.0	X	40.0	X	3.0	1272
G214	120	X	40	X	4.0	1685
G57	120.0	X	50.0	X	5.0	2228
G54	120	X	60	X	2.0	961
G56	120.0	X	60.0	X	6.0	2819
G119	120	X	60	X	8.0	3715
G71	120.0	X	80.0	X	2.5	1333
G80	120	X	80	X	3.0	1596
G183	120.0	X	80.0	X	6.0	3143
G136	120	X	80	X	10.0	5130
G155	120.0	X	120.0	X	2.5	1603
G139	120	X	120	X	8.0	5011
G153	120.0	X	120.0	X	10.0	6210
G253	120	X	120	X	12.0	7387
G104	130.0	X	30.0	X	3.0	1272
G145	130	X	80	X	6.0	3305
G128	135.0	X	25.0	X	3.0	1272
G221	140	X	20	X	3.0	1272
G108	140.0	X	40.0	X	3.0	1434
G169	140	X	40	X	4.0	1901
G219	140.0	X	40.0	X	6.0	2819
G249	145	X	45	X	3.0	1515
G203	150.0	X	50.0	X	4.0	2117
G220	150	X	50	X	5.0	2633

STANDARD PROFILES (G)

						gr/m
	A		B		S	
G222	150.0	X	50.0	X	8.0	4147
G146	150	X	75	X	8.0	4687
G77	150.0	X	100.0	X	5.0	3308
G254	150	X	100	X	10.0	6480
G118	160.0	X	35.0	X	5.0	2565
G207	160	X	40	X	3.0	1596
G246	160.0	X	40.0	X	4.0	2117
G152	160	X	60	X	8.0	4579
G150	160.0	X	80.0	X	12.0	7387
G208	180	X	40	X	3.0	1758

STANDARD PROFILES (8000)

						gr/m
	B		S		R	
8164	6	X	6.0	X	0.5	97
8192	7	X	3.5	X		66
8193	7	X	7.0	X		132
8127	8	X	8.0	X		173
8130	10	X	3.0	X		81
8104	10	X	4.0	X		108
8060	10	X	5.0	X		135
8117	10	X	10.0	X		270
8190	12	X	4.0	X		129
8106	12	X	6.0	X		194
8172	12	X	12.0	X		389
8131	14	X	8.0	X		302
8140	15	X	2.0	X		81
8008	15	X	3.0	X		122
8042	15	X	4.0	X		162
8133	15	X	5.0	X		203
8213	15	X	6.0	X		243
8043	15	X	8.0	X		324
8092	15	X	10.0	X		405
8118	15	X	15.0	X		608
8135	16	X	2.5	X		108
8195	18	X	1.65			81
8132	18	X	3.0	X		146
8217	18		8.0			389
8061	18	X	18.0	X		875
8034	20	X	2.0	X		108
8146	20	X	2.5	X		135
8009	20	X	3.0	X		162
8014	20	X	4.0	X		216
8019	20	X	5.0	X		270
8044	20	X	6.0	X		324
8085	20	X	8.0	X		432
8045	20	X	10.0	X		540
8046	20	X	15.0	X		810
8119	20	X	20.0	X		1080
8081	22	X	22.0	X		1307
8082	25	X	2.0	X		135
8035	25	X	2.5	X		169
8010	25	X	3.0	X		203
8015	25	X	4.0	X		270
8020	25	X	5.0	X		338
8126	25	X	6.0	X		405
8062	25	X	8.0	X		540
8057	25	X	10.0	X		675
8183	25	X	12.0	X		810
8089	25	X	15.0	X		1013
8125	25	X	20.0	X		1350
8120	25	X	25.0	X		1688
8200	27	X	20.0	X		1458
8134	28	X	26.0	X		1966
8036	30	X	2.0	X		162
8011	30	X	3.0	X		243



STANDARD PROFILES (8000)

						gr/m
	B		S		R	
8016	30	X	4.0	X		324
8021	30	X	5.0	X		405
8099	30	X	6.0	X		486
8077	30	X	8.0	X		648
8047	30	X	10.0	X		810
8178	30	X	12.0	X		972
8063	30	X	15.0	X		1215
8087	30	X	20.0	X		1620
8136	30	X	25.0	X		2025
8121	30	X	30.0	X		2430
20845	32	X	8.0	X	2.0	683
8105	32	X	32.0	X		2765
8198	35		3.0			284
8169	35	X	4.0	X		378
8174	35	X	6.0	X		567
8107	35	X	8.0	X		756
8026	35	X	10.0	X	5.0	887
8048	35	X	10.0	X		945
8090	35	X	15.0	X		1418
8128	35	X	30.0	X		2835
8024	35	X	35.0	X		3308
8108	36	X	6.0	X		583
8150	40	X	2.0	X		216
8012	40	X	3.0	X		324
8017	40	X	4.0	X		432
8022	40	X	5.0	X		540
8123	40	X	6.0	X		648
8049	40	X	8.0	X		864
8025	40	X	10.0	X	5.0	1022
8050	40	X	10.0	X		1080
8143	40	X	12.0	X		1296
8051	40	X	15.0	X		1620
8007	40	X	20.0	X		2160
8071	40	X	25.0	X		2700
8205	40	X	30.0	X		3240
8039	40	X	40.0	X		4320
8097	42.5	X	2.0	X		230
8211	45	X	2.0	X		243
8147	45	X	5.0	X		608
8160	45	X	10.0	X		1215
8080	45	X	25.0	X		3038
8138	48	X	5.0	X		648
8156	50	X	2.0	X		270
8013	50	X	3.0	X		405
8018	50	X	4.0	X		540
8023	50	X	5.0	X		675
8100	50	X	6.0	X		810
8003	50	X	8.0	X		1080
8052	50	X	10.0	X		1350
8177	50	X	12.0	X		1620
8151	50	X	15.0	X		2025
8053	50	X	20.0	X		2700

STANDARD PROFILES (8000)

						gr/m
	B		S		R	
8175	50	X	25.0	X		3375
8201	50		30.0			4050
8208	50	X	40.0	X		5400
8040	50	X	50.0	X		6750
8166	55	X	6.0	X		891
8161	55	X	25.0	X		3713
8101	60	X	2.0	X		324
8086	60	X	3.0	X		486
8054	60	X	4.0	X		648
8055	60	X	5.0	X		810
8129	60	X	6.0	X		972
8004	60	X	8.0	X		1296
8072	60	X	10.0	X		1620
8180	60	X	12.0	X		1944
8073	60	X	15.0	X		2430
8083	60	X	20.0	X		3240
8102	60	X	25.0	X		4050
8171	60	X	30.0	X		4860
8168	60	X	40.0	X		6480
8139	60	X	50.0	X		8100
8041	60	X	60.0	X		9720
8167	65	X	4.0	X		702
8196	70	X	3.0	X		567
8137	70	X	5.0	X		945
8209	70		6.0			1134
8006	70	X	8.0	X		1512
8064	70	X	10.0	X		1890
8088	70	X	12.0	X		2268
8157	70	X	15.0	X		2835
8202	70		20.0			3780
8158	70	X	25.0	X		4725
8065	70	X	30.0	X		5670
8153	70	X	40.0	X		7560
8207	70	X	70.0	X		13230
8179	80	X	3.0	X		648
8109	80	X	4.0	X		864
8110	80	X	5.0	X		1080
8111	80	X	6.0	X		1296
8056	80	X	8.0	X		1728
8005	80	X	10.0	X		2160
8170	80	X	12.0	X		2592
8058	80	X	15.0	X		3240
8173	80	X	20.0	X		4320
8206	80	X	25.0	X		5400
8197	80	X	40.0	X		8640
8038	80	X	50.0	X		10800
8141	83	X	2.5	X		560
8096	90	X	3.0	X		729
8212	90	X	6.0	X		1458
8199	90	X	10.0	X		2430
8078	90	X	15.0	X		3645
8163	90	X	25.0	X		6075

STANDARD PROFILES (8000)

						gr/m
	B		S		R	
8194	100	X	2.0	X		540
8159	100	X	3.0	X		810
8112	100	X	4.0	X		1080
8098	100	X	5.0	X		1350
8113	100	X	6.0	X		1620
8074	100	X	8.0	X		2160
8059	100	X	10.0	X		2700
8066	100	X	12.0	X		3240
8095	100	X	15.0	X		4050
8075	100	X	20.0	X		5400
8162	100	X	25.0	X		6750
8154	100	X	30.0	X		8100
8037	100	X	40.0	X		10800
8076	100	X	50.0	X		13500
8122	100	X	60.0	X		16200
8186	110	X	8.0	X		2376
8219	120	X	4.0	X		1296
8114	120	X	5.0	X		1620
8115	120	X	6.0	X		1944
8116	120	X	8.0	X		2592
8067	120	X	10.0	X		3240
8176	120	X	12.0	X		3888
8204	120	X	15.0	X		4860
8144	120	X	20.0	X		6480
8188	120		25.0			8100
8068	120	X	30.0	X		9720
8094	120	X	56.0	X		18144
8033	125	X	8.0	X		2700
8218	125		10.0			3375
8145	130	X	20.0	X		7020
8069	140	X	10.0	X		3780
8165	140	X	15.0	X		5670
8149	150	X	5.0	X		2025
8181	150	X	6.0	X		2430
8155	150	X	8.0	X		3240
8093	150	X	10.0	X		4050
8091	150	X	15.0	X		6075
8029	150	X	17.0	X		6885
8103	150	X	20.0	X		8100
8191	150	X	30.0	X		12150
8210	160	X	6.0	X		2592
8079	160	X	10.0	X		4320
8187	160	X	15.0	X		6480
8182	180	X	5.0	X		2430
8032	180	X	10.0	X		4860
8189	180	X	12.0	X		5832
8148	200	X	5.0	X		2700
8152	200	X	8.0	X		4320
8084	200	X	10.0	X		5400
8070	200	X	15.0	X		8100
8142	200	X	20.0	X		10800
8031	220	X	22.0	X		13068

STANDARD PROFILES (8000)

						gr/m
	B		S		R	
8124	220	X	29.0	X		17226
8185	250	X	8.0	X		5400
8184	250		10.0			6750